

NO. 66490

APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED

NEW PRIORITY DATE:

Date of filing in State Engineer's Office JUN 26 2000 MAY 14 2007

Returned to applicant for correction _____

Corrected application filed _____

Map filed JUN 26 2000

The applicant **Jeff Sellinger**, hereby makes application for permission to change the **Point of Diversion and Place of Use of a portion** of water heretofore appropriated under **Permit #15032, Certificate #8712**

1. The source of water is **Underground source**
2. The amount of water to be changed **One-Acre Foot, 0.0014 C.F.S**
3. The water to be used for **Quasi-Municipal purposes**
4. The water heretofore permitted for **Quasi-Municipal purposes**
5. The water is to be diverted at the following point **NE $\frac{1}{4}$, NW $\frac{1}{4}$, Section 36, T21S, R60E M.D.M. or at a point from which the North One-Quarter corner (N $\frac{1}{4}$) of said Section 36, T21S, R60E, M.D.M., bears North 49° 43' 32" East a distance of 1411.95 Feet.**
6. The existing permitted point of diversion is located within **NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 9, T21S, R61E, M.D.M. or at a point from which the Northeast corner of said section 9, T21S, R61E, M.D.M. bears North 22° 48' East, a distance of 945.34 Feet.**
7. Proposed place of use **Lot 4 of Parcel Maps, File 64, Page 53, being a portion of the NW $\frac{1}{4}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$ Section 36, T21S, R60E, M.D.M.**
8. Existing place of use **Portion of the NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 9, and a portion of NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 10, T21S, R61E, M.D.M.**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works **The well and distribution system is existing and complete**
12. Estimated cost of works **None**
13. Estimated time required to construct works **Well is existing 8 5/8" steel cased, drilled to a depth of 460 Feet, submersible pump, tanks and totalizing meter**
14. Estimated time required to complete the application of water to beneficial use **3 years**
15. Remarks: **The one Acre Foot to be transfered, is to be used for an unimproved lot for a future residence. The well was originally drilled for permit 53685 which was canceled for failure to do the required proofs.**

By **s/Jeff Sellinger**
Agent
Fulstone Enterprises Inc.
940 S. Martin L. King Blvd.
L.V. NV. 89104

Compared d1/cmf cmf/ds

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 15032, Certificate 8712, is issued subject to the terms and conditions imposed in said Permit 15032, Certificate 8712, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 53685 and 66490 shall not exceed 4.08 acre-feet annually.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0014 cubic feet per second, but not to exceed 1.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

March 2, 2002

Proof of completion of work shall be filed before:

April 2, 2002

Water must be placed to beneficial use on or before:

March 2, 2004

Proof of the application of water to beneficial use shall be filed on or before:

April 2, 2004

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 2nd day of, March A.D. 2001

Hugh Ricci, P.E.
State Engineer

Completion of work filed MAR 12 2002

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____

~~CANCELLED MAY 04 2007 BECAUSE OF
FAILURE OF APPLICANT TO COMPLY WITH THE
PROVISIONS OF PERMIT~~

~~_____
Can. Rescinded 8-1-2007~~
STATE ENGINEER